


# BANEMÅL - BASEBALLANLEGG

Dette dokumentet angir banemål for en baseballbane. Målene er satt av MLB og utgitt som en del av det offisielle regelverket for MLB.

Hele publikasjonen hvor banemålene er hentet fra [finner du her](#) (.pdf).

# Appendix 1

## Diagram No. 1 Diagram of the Playing Field




**DIAGRAM NO. 1**

### LEGEND

- BATTER'S BOX, CATCHER'S BOX, FOUL LINE, PITCHER'S PLATE, COACH'S BOX
- NEXT BATTER'S BOX
- BASE LINES
- - - GRASS LINES

## Appendix 2

**Diagram No. 2**  
**Layout at Home Plate, 1st, 2nd, and 3rd Bases**



**DIAGRAM NO. 2**

**LEGEND**


- A 1st, 2nd, 3rd BASES
- B BATTER'S BOX
- C CATCHER'S BOX
- D HOME BASE
- E PITCHER'S PLATE

## Appendix 3

### Diagram No. 3 Layout of Pitching Mound

#### Suggested Layout of Pitching Mound

This Diagram No. 3 supplements and, in cases of difference, supersedes Diagram No. 2.



**DIAGRAM NO. 3**

**Pitching Mound:** An 18' diameter circle, center of which is 59' from back of home plate.

Locate front edge of rubber 18" behind center of mound.

Front edge of rubber to back point of home plate, 60'6".

Slope starts 6" from front edge of rubber.

The degree of slope from a starting point 6" in front of the pitcher's plate to a point 6' toward home plate shall be 1" to 1', and such degree of slope shall be uniform.

Level area surrounding rubber should be 6" in front of rubber, 18" to each side and 22" to rear of rubber. Total level area 5' x 34".